論文

※ 各論文名をクリックすると、DOIまたはPubMedの論文ページが開きます。

1 Surgical strategy in modification of the transpetrosal approach to avoid postoperative venous complications: A report of 74 consecutive cases
Acta Neurochir Suppl . 130:25-36,2023
Nimmannitya P, Goto T, Nagahama A, Tanoue Y, **Terakawa Y**, Kawashima T, Morisako H, Ohata K.

---

2 Maximum 11C-methionine PET uptake as a prognostic imaging biomarker for newly diagnosed and untreated astrocytic glioma
Sci Rep . 12(1):546,2022
Nakajo K, Uda T, Kawashima T, **Terakawa Y**, Ishibashi K, Tsuyuguchi N, Tanoue Y, Nagahama A, Uda H, Koh S, Sasaki T, Ohata K, Kanemura Y, Goto T.

---

3 Diagnostic performance of [11C]methionine positron emission tomography in newly diagnosed and untreated glioma based on the revised World Health Organization 2016 classification
World Neurosurg . 148:e471-e481,2021
Nakajo K, Uda T, Kawashima T, **Terakawa Y**, Ishibashi K, Tsuyuguchi N, Tanoue Y, Nagahama A, Uda H, Koh S, Sasaki T, Ohata K, Kanemura Y, Goto T.

---

4 Prediction of IDH and TERT promoter mutations in low-grade glioma from magnetic resonance images using a convolutional neural network
Sci Rep . 9(1):20311,2019
Fukuma R, Yanagisawa T, Kinoshita M, Shinozaki T, Arita H, Kawaguchi A, Takahashi M, Narita Y, **Terakawa Y**, Tsuyuguchi N, Okita Y, Nonaka M, Moriuchi S, Takagaki M, Fujimoto Y, Fukai J, Izumoto S, Ishibashi K, Nakajima Y, Shofuda T, Kanematsu D, Yoshioka E, Kodama Y, Mano M, Mori K, Ichimura K, Kanemura Y, Kishima H.

---

5 Clinicopathological significance of autophagy-related proteins and its association with genetic alterations in gliomas
Anticancer Res . 39(3):1233-1242,2019
Tamrakar S, Yashiro M, Kawashima T, Uda T, **Terakawa Y**, Kuwae Y, Ohsawa M, Ohata K.

6	Oligodendrocytes up-regulate the invasive activity of glioblastoma cells via the angiopoietin-2 signaling pathway *Anticancer Res* . 39(2):577-584,2019 Kawashima T, Yashiro M, Kasashima H, **Terakawa Y**, Uda T, Nakajo K, Umaba R, Tanoue Y, Tamrakar S, Ohata K.
7	Lesion location implemented magnetic resonance imaging radiomics for predicting IDH and TERT promoter mutations in grade II/III gliomas *Sci Rep* . 8(1):11773,2018 Arita H, Kinoshita M, Kawaguchi A, Takahashi M, Narita Y, **Terakawa Y**, Tsuyuguchi N, Okita Y, Nonaka M, Moriuchi S, Takagaki M, Fujimoto Y, Fukai J, Izumoto S, Ishibashi K, Nakajima Y, Shofuda T, Kanematsu D, Yoshioka E, Kodama Y, Mano M, Mori K, Ichimura K, Kanemura Y.
8	Characteristics and outcomes of elderly patients with diffuse gliomas: a multi-institutional cohort study by Kansai Molecular Diagnosis Network for CNS Tumors *J Neurooncol* . 140(2):329-339,2018 Sasaki T, Fukai J, Kodama Y, Hirose T, Okita Y, Moriuchi S, Nonaka M, Tsuyuguchi N, **Terakawa Y**, Uda T, Tomogane Y, Kinoshita M, Nishida N, Izumoto S, Nakajima Y, Arita H, Ishibashi K, Shofuda T, Kanematsu D, Yoshioka E, Mano M, Fujita K, Uematsu Y, Nakao N, Mori K, Kanemura Y.
9	Diagnosis of brain tumors using amino acid transport PET imaging with 18F-fluciclovine: A comparative study with L-methyl-11C-methionine PET imaging *Asia Ocean J Nucl Med Biol* . 5(2):85-94,2017 Tsuyuguchi N, **Terakawa Y**, Uda T, Nakajo K, Kanemura Y.
10	Schwannoma-like tumor in the anterior cranial fossa immunonegative for Leu7 but immunopositive for Schwann/2E *Neuropathology* . 37(3):265-271,2017 Bohoun CA, **Terakawa Y**, Goto T, Tanaka S, Kuwae Y, Ohsawa M, Morisako H, Nakajo K, Sato H, Ohata K, Yokoo H.

11 Ability of NT-pro-BNP to diagnose cardioembolic etiology in patients with acute ischemic stroke
Osaka City Med J . 62(2):95-102,2016
Okada Y, **Terakawa Y**, Murata T, Nakamura K, Shimotake K, Murata H, Ohata K.

12 A combination of TERT promoter mutation and MGMT methylation status predicts clinically relevant subgroups of newly diagnosed glioblastomas
Acta Neuropathol Commun . 8;4(1):79,2016
Arita H, Yamasaki K, Matsushita Y, Nakamura T, Shimokawa A, Takami H, Tanaka S, Mukasa A, Shirahata M, Shimizu S, Suzuki K, Saito K, Kobayashi K, Higuchi F, Uzuka T, Otani R, Tamura K, Sumita K, Ohno M, Miyakita Y, Kagawa N, Hashimoto N, Hatae R, Yoshimoto K, Shinojima N, Nakamura H, Kanemura Y, Okita Y, Kinoshita M, Ishibashi K, Shofuda T, Kodama Y, Mori K, Tomogane Y, Fukai J, Fujita K, **Terakawa Y**, Tsuyuguchi N, Moriuchi S, Nonaka M, Suzuki H, Shibuya M, Maehara T, Saito N, Nagane M, Kawahara N, Ueki K, Yoshimine T, Miyaoka E, Nishikawa R, Komori T, Narita Y, Ichimura K.

13 Characteristic of optic canal invasion in 31 consecutive cases with tuberculum sellae meningioma
Neurosurg Rev . 39(4):691-7,2016
Nimmannitya P, Goto T, **Terakawa Y**, Sato H, Kawashima T, Morisako H, Ohata K.

14 Intraoperative transcranial motor-evoked potentials predict motor function outcome in intracerebral hemorrhage surgery
World Neurosurg . 90:518-523,2016
Ikedo T, Nakamura K, Sano N, Nagata M, Okada Y, **Terakawa Y**, Murata T.

15 Glioblastoma in long-term survivors of acute lymphoblastic leukemia: Report of two cases
Pediatr Int . 58(6):520-523,2016
Wang Z, **Terakawa Y**, Goto H, Tsuyuguchi N, Sato H, Abe J, Ohata K.

16 Awake craniotomy for cortical language mapping and resection of an arteriovenous malformation adjacent to eloquent areas under general anesthesia — A hybrid approach
Interdiscip Neurosurg . 2(4):186-188,2015
Nimmannitya P, **Terakawa Y**, Kawakami T, Tsuyuguchi N, Sato H, Kawashima T, Ohata K.

17 Embryonal tumor with abundant neuropil and true rosettes in the brainstem: case report
J Neurosurg Pediatr . 16(3):291-5,2015
Sato H, **Terakawa Y**, Tsuyuguchi N, Kuwae Y, Ohsawa M, Ohata K.

18 An innovative technique for detecting the caudal end of occluded inferior petrosal sinus in cavernous arteriovenous fistula using intravascular ultrasonography-technical note
Neuroradiology . 57(8):799-804,2015
Yamauchi S, Nishio A, Takahashi Y, Kondo K, Kawakami T, **Terakawa Y**, Mitsuhashi Y, Ohata K.

19 Efficacy of arachnoid plasty with collagen sheets and fibrin glue: An in vitro experiment and a case review
Surg Neurol Int . 28;6:90,2015
Abe J, Ichinose T, **Terakawa Y**, Tsuyuguchi N, Tsuruno T, Ohata K.

20 Activation of the serotonergic system by pedaling exercise changes anterior cingulate cortex activity and improves negative emotion
Behav Brain Res . 15;270:112-7,2014
Ohmatsu S, Nakano H, Tominaga T, **Terakawa Y**, Murata T, Morioka S.

21 Staged ‘intentional’ bridging vein ligation: a safe strategy in gaining wide access to skull base tumors
Acta Neurochir (Wien) 156:671-9,2014
Savardekar AR, Goto T, Nagata T, Ishibashi K, **Terakawa Y**, Morisako H, Ohata K.

22 Prevention of labyrinthine structures while drilling the posterior wall of the internal auditory canal in surgery of vestibular schwannomas via the retrosigmoid suboccipital approach
World Neurosurg . 82(3-4):474-479,2014
Savardekar A, Nagata T, Kiatsoontorn K, **Terakawa Y**, Ishibashi K, Goto T, Ohata K.

23 The usefulness of subcutaneous infiltration of epinephrine-containing lidocaine for curative transarterial embolization of dural arteriovenous fistula. A technical note
Interv Neuroradiol . 20:91-5,2014
Yamauchi S, Nishio A, Takahashi Y, Mitsuhashi Y, **Terakawa Y**, Kawakami T, Ohata K.

24 Surgical management of multicentric diffuse low-grade gliomas: functional and oncological outcomes: clinical article
J Neurosurg . 118:1169-75,2013
Terakawa Y, Yordanova YN, Tate MC, Duffau H.

25 The role of drebrin in glioma migration and invasion
Exp Cell Res . 319:517-28,2013
Terakawa Y, Agnihotri S, Golbourn B, Nadi M, Sabha N, Smith CA, Croul SE, Rutka JT.

26 Extension of quantifiable modification of sLORETA for induced oscillatory changes in magnetoencephalography
Open Neuroimag J . 6:37-43,2012
Uda T, Tsuyuguchi N, Okumura E, Shigihara Y, Nagata T, **Terakawa Y**, Sakamoto S, Ohata K.

27 Molecular genetic analysis of the hepatocyte growth factor/Met signalling pathway in pediatric medulloblastoma
Genes Chromosomes Cancer . 51:675-88,2012
Onvani S, **Terakawa Y** (Equally first author), Smith C, Northcott P, Taylor M, Rutka J.

28 Medulloblastoma manifesting as sudden sensorineural hearing loss
J Korean Neurosurgical Society . 50:50-53,2011
Terakawa Y, Tsuyuguchi N, Takami T, Ohata K.

29 Three-dimensional video presentation of microsurgery by the cross-eyed viewing method using a high-definition video system
Neurol Med Chir (Tokyo) 51:467-471,2011
Terakawa Y, Ishibashi K, Goto T, Ohata K.

30 Examination of 11C-Methionine metabolism by the standardized uptake value in the normal brain of children
J Nucl Med . 52:201-5,2011
Nagata T, Tsuyuguchi N, Uda T, **Terakawa Y**, Takami T, Ohata K.

31 Ruptured internal carotid artery bifurcation aneurysm presenting with intracerebral hemorrhage alone without subarachnoid hemorrhage
Neurol Med Chir (Tokyo) 51:117-119,2011
Yamamoto N, **Terakawa Y**, Yumiko O, Mitsuhashi Y, Nishio A, Shimotake K, Murata T.

32 Mechanical clot disruption following intravenous recombinant tissue plasminogen activator (rt-PA) administration in rt-PA non-responders
Neurol Med Chir (Tokyo) 50:183-191,2010
Kawakami T, **Terakawa Y**, Tsuruno T, Murata T, Nishio A, Ohata K.

33 Evaluation of the accumulation of 11C-methionine with standardized uptake value in the normal brain
J Nucl Med . 51:219-222,2010
Uda T, Tsuyuguchi N, **Terakawa Y**, Takami T, Ohata K.

34 Central neurocytoma presenting with massive hemorrhage leading to coma -case report
Neurol Med Chir (Tokyo) 50:139-143,2010
Terakawa Y, Tsuruno T, Ishibashi K, Okada Y, Shimotake K, Murata T.

35 Quantitative imaging of spontaneous neuromagnetic activity for assessing cerebral ischemia using sLORETA-qm
Neuroimage . 49:488-497,2010
Sakamoto S, Tanaka H, Tsuyuguchi N, **Terakawa Y**, Ohata K, Inoue Y, Miki Y, Takahashi Y, Nitta K, Sawa H, Satone A, Ide W, Hashimoto I, Kamada H.

36 Primary squamous cell carcinoma of the frontal sinus treated with en bloc resection: case report
Neurol Med Chir (Tokyo) 49:481-483,2009
Ichinose T, Goto T, Motomura H, **Terakawa Y**, Ohata K.

37 Percutaneous transluminal angioplasty for stenosis of the posterior cerebral artery in progressive stroke -case report
Neurol Med Chir (Tokyo) 49:351-353,2009
Nakamura K, Murata K, Kawakami T, **Terakawa Y**, Ikeda H, Sakaguchi M.

38 The influence of hypoglycemia on cerebral blood flow in cases of hypoglycemic coma
Neurology india . 57:69-72,2009
Terakawa Y, Tsuyuguchi N, Yamamura A, Nakagawa T.

39 Brain SPECT by 99mTc-tetrofosmin for the differentiation of brain tumor recurrence from radiation injury
J Nucl Med . 49:1734,2008
Terakawa Y, Tsuyuguchi N.

40 Quantitative analysis of MEG using modified sLORETA for clinical application
Clin Neurophysiol . 119:1917-1922,2008
Terakawa Y, Tsuyuguchi N, Tanaka H, Shigihara Y, Sakamoto S, Takami T, Ohata K.

41 Diagnostic accuracy of 11C-methionine PET for differentiation of recurrent brain tumors from radiation necrosis after radiotherapy
J Nucl Med . 49:694-699,2008
Terakawa Y, Tsuyuguchi N, Iwai Y, Yamanaka K, Higashiyama S, Takami T, Ohata K.

42 Extradural pneumatocele after temporal craniotomy -case report
Neurol Med Chir (Tokyo) 48:576-577,2008
Terakawa Y, Morino M, Yamagata T, Ohata K.

43 Internal trapping following proximal clipping for a ruptured partially thrombosed giant aneurysm of the vertebral artery -case report
Neurol Med Chir (Tokyo) 48:515-518,2008
Terakawa Y, Yamamura A, Murayama N, Kimura H, Nakagawa T, Fujishige M, Nunomura K, Ogawa D, Hashi K.

44 Magnetic resonance imaging of brain abscess with hemorrhage: implications for the mechanism of hemorrhage -case report
Neurol Med Chir (Tokyo) 47:516-518,2007
Terakawa Y, Takami T, Yamagata T, Saito T, Naruhiko N.

45 Reversible diffusion-weighted imaging changes in the splenium of the corpus callosum and internal capsule associated with hypoglycemia -case report
Neurol Med Chir (Tokyo) 47:486-488,2007
Terakawa Y, Tsuyuguchi N, Nunomura K, Murayama N, Fujishige M, Yamamura A, Nakagawa T, Hashi K.

46 Traumatic panhypopituitarism: case report
No Shinkei Geka . 34:491-5,2006
Nakamura K, Ichinose T, Kawakami T, Masamura S, **Terakawa Y**, Murata K, Sakaguchi M.

47 Surgical technique and outcome of transsylvian selective amygdalohippocampectomy
No Shinkei Geka . 33:225-33,2005
Morino M, Uda T, Naito K, Kawakami T, Ishiguro T, Ishibashi K, **Terakawa Y**, Ichinose T, Hara M.

48 Chiari I malformation associated with ventral compression and instability: one-stage posterior decompression and fusion with a new instrumentation technique
Neurosurgery . 54:1430-4,2004
Nishikawa M, Ohata K, Baba M, **Terakawa Y**, Hara M.

49 Development of malignant glioma 15 months after anterior temporal lobectomy in a patient with temporal lobe epilepsy
Acta Neurochir (Wien) 146:59-63,2004
Morino M, Ichinose T, **Terakawa Y**, Haba T, Wakasa K, Ohata K, Hara M.

50 Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note
J Neurosurg . 98:913-6,2003
Takami T, Ohata K, Nishikawa M, Goto T, **Terakawa Y**, Inoue Y, Wakasa K, Hara M.

51 Spinal arteriovenous malformation associated with a radicular arteriovenous fistula suggested a metameric disease. A case report
Interv Neuroradiol . 30;9:75-8,2003
Nishio A, Ohata K, Takami T, Gotoh T, Tsuyuguchi N, Ichinose T, **Terakawa Y**, Hara M.

52 Management strategies for unruptured cerebral aneurysms
No Shinkei Geka . 29:943-9,2001
Murata T, Tsuruno T, Shimotake K, **Terakawa Y**, Nishio A, Nishijima Y, Agou I.

著書

Neurogenetic basis of pediatric neurosurgical conditions.

1 Principles and practice of pediatric neurosurgery, 3rd edition. New York, US: Thieme Medical Publishers
Faria C, **Terakawa Y**, Rutka JT. In: Albright L, Pollack IF, Adelson PD, eds.

Principles of molecular biology in posterior fossa tumors.

2 Posterior tumors in children. Milan, Italy: Springer Verlag
Terakawa Y, Chang JH, Smith C, Rutka JT. In: Ozek M, eds.

Cytogenetic / molecular biology.

3 The 2nd edition of Tumors of the pediatric central nervous system. New York, US: Thieme Medical Publishers, p69-79, 2013
Chang JH, **Terakawa Y**, Smith CA, Rutka JT. In: Keating RF, Goodrich JT, Packer RJ, eds.